Printing date 08/14/2024 Reviewed on 08/14/2024

1 Identification

· Product identifier

- · Trade name:
- · Article number: 2863
- · Application of the substance / the mixture Water treatment
- · Uses advised against

Processes involving extreme heat use advised against.

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Any use involving aerosol formation or vapour release in excess of the assigned WEL where workers are exposed without suitable Respiratory Protective Equpiment.

Processes where workers who may be pregnant or breastfeeding could potentially come into direct contact with the undiluted product.

The product is intended exclusively for industrial and professional use.

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:
- · Information department: Product safety department.
- · Emergency telephone number:

CHEMTREC: 800-424-9300 (Domestic North America) OR 703-527-3887 (International, collect calls accepted).

The American Association of Poison Control Centers (24-hour hotline): 1-800-222-1222

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

2-diethylaminoethanol

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

(Contd. on page 2)

Reviewed on 08/14/2024 Printing date 08/14/2024

(Contd. of page 1)

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



3 Health = 3Fire = 1

· Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous con	ponents:	
CAS: 100-37-8	2-diethylaminoethanol	10 - 25%
CAS: 532-32-1	Benzoic acid, sodium salt	10 – 25%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

- · Information for doctor: Treat symptomatically and supportively.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

Corrosive.

In case of fire, the following can be released:

Carbon monoxide (CO)

Nitrogen oxides (NOx)

(Contd. on page 3)

Printing date 08/14/2024 Reviewed on 08/14/2024

(Contd. of page 2)

Sulphur Oxides (SOx)

Toxic metal oxide smoke

Solid product. Product will melt and combustion may occur when exposed to fire conditions.

· Advice for firefighters

· Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

Keep ignition sources away - no smoking.

· Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 7757-83-7	Sodium sulphite	11 mg/m³
CAS: 100-37-8	2-diethylaminoethanol	6 ppm
CAS: 532-32-1	Benzoic acid, sodium salt	61 mg/m ³
· PAC-2:		
CAS: 7757-83-7	Sodium sulphite	120 mg/m³
CAS: 100-37-8	2-diethylaminoethanol	83 ppm
CAS: 532-32-1	Benzoic acid, sodium salt	140 mg/m3
· PAC-3:		
CAS: 7757-83-7	Sodium sulphite	710 mg/m ³
CAS: 100-37-8	2-diethylaminoethanol	500 ppm
CAS: 532-32-1	Benzoic acid, sodium salt	830 mg/m3

7 Handling and storage

· Handling:

· Precautions for safe handling

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Prevent formation of dust.

Ensure good ventilation/exhaustion at the workplace.

Do not mix with acids.

(Contd. on page 4)

Printing date 08/14/2024 Reviewed on 08/14/2024

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Prevent any seepage into the ground.

Do not store in aluminium, copper, zinc containers.

· Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from foodstuffs.

Do not store together with acids.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Storage class: 8 A
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 100-37-8 2-diethylaminoethanol

PEL Long-term value: 50 mg/m³, 10 ppm

Skin

REL Long-term value: 50 mg/m³, 10 ppm

Skin

TLV Long-term value: 2 ppm

Skin

CAS: 532-32-1 Benzoic acid, sodium salt

TLV Long-term value: 2.5 mg/m³

inh. fraction, Skin, A5

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:

Select PPE appropriate for the operations taking place taking into account the product properties.

· General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Do not breathe dust

Take note of assigned Workplace Exposure Limits.

· Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

· Protection of hands:



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the

(Contd. on page 5)

Printing date 08/14/2024 Reviewed on 08/14/2024

(Contd. of page 4)

resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles conforming to EN166.

· Body protection:



Impervious protective clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

· Limitation and supervision of exposure into the environment

Do not allow to enter drains, sewers or watercourses.

Information on basic physical and cher	nical properties
General Information	
· Appearance: Form:	Solid
Color:	Various colors
· Odor:	Amine-like
· Odor threshold:	Not determined.
· pH-value at 20 °C (68 °F):	11 – 12 (4%)
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	>93 °C (>199.4 °F)
· Flammability:	Not determined.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density at 20 °C (68 °F):	1.43 g/cm ³ (11.933 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Soluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.

(Contd. on page 6)

Printing date 08/14/2024 Reviewed on 08/14/2024

(Contd. of page 5)
Not applicable.
NOTE: The physical data presented above are typical values and should not be construed as a specification.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

· Possibility of hazardous reactions

The product is a strong base, it reacts violently with acid and is corrosive. Reacts violently with strong oxidants causing fire hazard.

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong acids and oxidising agents
- · Hazardous decomposition products:

Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

Sulfur oxides (SOx)

Toxic metal oxide smoke

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
ATE (Acu	ATE (Acute Toxicity Estimate)		
Oral	LD50	5,280 mg/kg (rat)	
Dermal	LD50	3,540 mg/kg	
Inhalative	LC50/4 h	18.4 mg/l (rat)	

Innaiative	LC50/4 n	18.4 mg/1 (rat)	
CAS: 775	CAS: 7757-83-7 Sodium sulphite		
Oral	LD50	> 2,000 mg/kg (rat)	
Dermal	LD50	> 2,000 mg/kg (rat)	
Inhalative	LC50/4 h	> 5 mg/l (rat)	
CAS: 100	CAS: 100-37-8 2-diethylaminoethanol		
Oral	LD50	1,320 mg/kg (rat)	
Dermal	LD50	885 mg/kg (Guinea pig)	
CAS: 532	CAS: 532-32-1 Benzoic acid, sodium salt		
Oral	LD50	> 2,000 mg/kg (rat)	
Dermal	LD50	> 2,000 mg/kg (rabbit)	

- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

ROUTES OF EXPOSURE: The component substances can variously be absorbed into the body by inhalation, through the skin and by ingestion.

EFFECTS OF SHORT-TERM EXPOSURE: The product is corrosive to the eyes, the skin and the respiratory tract. Corrosive on ingestion. May cause effects on the central nervous system.

Contains sulfites. Repeated or prolonged inhalation exposure to sulfites may cause asthma.

The symptoms of asthma often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Anyone who has shown symptoms of (Contd. on page 7)

US

Printing date 08/14/2024 Reviewed on 08/14/2024

(Contd. of page 6)

asthma due to sulfites or sulfur dioxide should avoid all further contact with this product.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · Specific target organ toxicity single exposure

Based on available data, the classification criteria are not met.

· Specific target organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

· Aquatic toxicity:

CAS: 7757-83-7 Sodium sulphite

EC50 (96 h) 89 mg/l (Bacteria)

CAS: 100-37-8 2-diethylaminoethanol

EC50 (96 h) 147 mg/l (Fish)

EC50 (48 h) 165 mg/l (Daphnia)

CAS: 532-32-1 Benzoic acid, sodium salt

EC50 (96 h) > 100 mg/l (Bacteria)

- · Persistence and degradability The organic portion of the product is biodegradable.
- · Behavior in environmental systems:
- · Bioaccumulative potential Product is not expected to bioaccumulate.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Recommended Hierarchy of Controls:

- Minimize waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Printing date 08/14/2024 Reviewed on 08/14/2024

(Contd. of page 7)

Contact waste processors for recycling information.

- · Uncleaned packagings:
- · Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

Container remains hazardous when empty. Continue to observe all precautions.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN3263
· UN proper shipping name · DOT	Corrosive solid, basic, organic, n.o.s. (
· ADR/RID/ADN	Diethylaminoethanol) UN3263 CORROSIVE SOLID, BASIC, ORGANIC, N.O (2-DIETHYLAMINOETHANOL)
· IMDG, IATA	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. DIETHYLAMINOETHANOL)
· Transport hazard class(es)	
\cdot DOT	
ODRIOSIVE 8	
· Class · Label	8 Corrosive substances 8
· ADR/RID/ADN	
· Class · Label	8 (C8) Corrosive substances
· IMDG, IATA	
· Class · Label	8 Corrosive substances 8
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	П
· Environmental hazards:	Not applicable.
· Special precautions for user · Hazard identification number (Kemler co · EMS Number:	F-A,S-B
· Segregation groups · Stowage Category	(SGG18) Alkalis B

(Contd. on page 9)

Printing date 08/14/2024 Reviewed on 08/14/2024

	(Contd. of page 8
· Segregation Code	SG35 Stow "separated from" SGG1-acids
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR/RID/ADN · Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
 · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) 	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· UN ''Model Regulation'':	UN 3263 CORROSIVE SOLID, BASIC, ORGANIC N.O.S. (2-DIETHYLAMINOETHANOL), 8, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- . Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed as ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 10)

Printing date 08/14/2024 Reviewed on 08/14/2024

(Contd. of page 9)

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

2-diethylaminoethanol

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

- · National regulations:
- · Information about limitation of use:

Class	Share in %
NK	25.0

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department.
- · Contact:
- · Date of preparation / last revision 08/14/2024 / 2
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Corrosion 1B: Skin corrosion/irritation – Category 1B Eye Damage 1: Serious eye damage/eye irritation – Category 1

* Data compared to the previous version altered.

- US