

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024


Reviewed on 08/14/2024

1 Identification

- **Product identifier**
- **Trade name:**
- **Article number:** 2659
- **Application of the substance / the mixture** Water treatment
- **Uses advised against**
Processes involving extreme heat use advised against.
Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).
Any use involving aerosol formation or vapour release in excess of the assigned WEL where workers are exposed without suitable Respiratory Protective Equipment.
The product is intended exclusively for industrial and professional use.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

- **Information department:** Product safety department.
- **Emergency telephone number:**
CHEMTREC: 800-424-9300 (Domestic North America) OR 703-527-3887 (International, collect calls accepted).
The American Association of Poison Control Centers (24-hour hotline): 1-800-222-1222

2 Hazard(s) identification

- **Classification of the substance or mixture**
Skin Corrosion 1A H314 Causes severe skin burns and eye damage.
Eye Damage 1 H318 Causes serious eye damage.
- **Label elements**
- **Hazard pictograms**

GHS05
- **Signal word** Danger
- **Hazard-determining components of labeling:**
Sodium hydroxide
- **Hazard statements**
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**
P260 Do not breathe dust.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 If on skin: Wash with plenty of water.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 3
Fire = 0
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 3
Fire = 0
Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

	Inorganic base, neutralised*	10 – 25%
CAS: 1310-73-2	Sodium hydroxide	5 – 10%

- **Additional information:** *Equilibrium of Ionic pairs.

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Check for and remove any contact lenses.
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
- **Information for doctor:** Treat symptomatically and supportively.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**
Corrosive.
In case of fire, the following can be released:
Carbon monoxide (CO)

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 2)

Phosphorous oxides

Toxic metal oxide smoke

- **Advice for firefighters**

- **Protective equipment:**

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

Wear fully protective suit.

- **Additional information**

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Avoid formation of dust.

Wear protective equipment. Keep unprotected persons away.

- **Environmental precautions:**

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

- **Methods and material for containment and cleaning up:**

Pick up mechanically.

Ensure adequate ventilation.

Send for recovery or disposal in suitable receptacles.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- **Protective Action Criteria for Chemicals**

- **PAC-1:**

CAS: 1310-73-2 Sodium hydroxide

0.5 mg/m³

- **PAC-2:**

CAS: 1310-73-2 Sodium hydroxide

5 mg/m³

- **PAC-3:**

CAS: 1310-73-2 Sodium hydroxide

50 mg/m³

7 Handling and storage

- **Handling:**

- **Precautions for safe handling**

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Safety showers and eye wash facilities should be available at the work area.

Prevent formation of dust.

Ensure good ventilation/exhaustion at the workplace.

- **Information about protection against explosions and fires:** Keep respiratory protective device available.

- **Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Prevent any seepage into the ground.

Do not store in aluminium, galvanised or copper containers.

Do not store in aluminium, copper, zinc containers.

- **Information about storage in one common storage facility:**

Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

- **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 3)

- Store in a banded area.
- **Storage class:** 8 A
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.

CAS: 1310-73-2 Sodium hydroxide

PEL	Long-term value: 2 mg/m ³
REL	Ceiling limit value: 2 mg/m ³
TLV	Ceiling limit value: 2 mg/m ³

- **Additional Occupational Exposure Limit Values for possible hazards during processing:**

CAS: 1310-73-2 Sodium hydroxide

PEL	Long-term value: 2 mg/m ³
REL	Ceiling limit value: 2 mg/m ³
TLV	Ceiling limit value: 2 mg/m ³

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
Select PPE appropriate for the operations taking place taking into account the product properties.
- **General protective and hygienic measures:**
Do not eat, drink, smoke or sniff while working.
Take note of assigned Workplace Exposure Limits.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
Use suitable respiratory protective device in case of insufficient ventilation.
Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.
- **Protection of hands:**



- Protective gloves.
Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 4)

· Eye protection:



Safety glasses with side-shields conforming to EN166.
Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Goggles recommended during refilling.

· Body protection:



Alkaline resistant protective clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

· Limitation and supervision of exposure into the environment

Do not allow to enter drains, sewers or watercourses.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Solid
Color:	White
Odor:	Mild
Odor threshold:	Not determined.

· pH-value at 20 °C (68 °F): 11.5 – 12.5 (1%)

· Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)

· Flash point: Not applicable.

· Flammability: Not determined.

· Auto igniting: >250 °C (>482 °F)

· Decomposition temperature: Not determined.

· Ignition temperature: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· Vapor pressure: Not applicable.

· Density at 20 °C (68 °F): 1.6 g/cm³ (13.352 lbs/gal)

· Relative density: Not determined.

· Vapor density: Not applicable.

· Evaporation rate: Not applicable.

· Solubility in / Miscibility with

Water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic:	Not applicable.
Kinematic:	Not applicable.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 5)

· Solvent content: VOC content:	0.00 %
· Other information	NOTE: The physical data presented above are typical values and should not be construed as a specification.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
Can react dangerously with concentrated acids.
Aqueous solution forms hydrogen in contact with some metals.
Reacts with ammonium salts, releasing ammonia.
The product is a strong base, it reacts violently with acid and is corrosive in moist air to metals like zinc, aluminium, tin and lead forming a combustible/explosive gas (hydrogen).
Reacts with ammonium salts to produce ammonia, causing fire hazard. Attacks some forms of plastics, rubber or coatings.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**
Strong acids.
Substances specifically listed in section 10.3 as incompatible.
- **Hazardous decomposition products:**
Phosphorus compounds
Carbon monoxide and carbon dioxide
Toxic metal oxide smoke

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

CAS: 10124-56-8 Sodium metaphosphate

Oral	LD50	> 2,000 mg/kg (rat)
------	------	---------------------

- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.
- **on the eye:**
Strong caustic effect.
Strong irritant with the danger of severe eye injury.
- **Sensitization:**
No sensitizing effects known.
Based on available data, the classification criteria are not met.
- **Other information (about experimental toxicology):**
Inhalation of an aerosol of the product may cause lung oedema. The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential.
- **Additional toxicological information:**
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.
Inhalation may cause lung oedema, but only after initial corrosive effects on eyes and/or airways have become manifest. The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Immediate administration of an appropriate inhalation therapy by a doctor or a person authorized by him/her, should be considered.
Corrosive

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 6)

Irritant

ROUTES OF EXPOSURE: Serious local effects by all routes of exposure.

EFFECTS OF SHORT-TERM EXPOSURE: The product is corrosive to the eyes, the skin and the respiratory tract. Corrosive on ingestion.

· Carcinogenic categories**· IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity**· Aquatic toxicity:****CAS: 10124-56-8 Sodium metaphosphate**

EC50 (96 h) > 485 mg/l (Bacteria)

· Persistence and degradability The organic portion of the product is biodegradable.**· Behavior in environmental systems:****· Bioaccumulative potential** Product is not expected to bioaccumulate.**· Mobility in soil** No further relevant information available.**· Additional ecological information:****· General notes:**

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment**· PBT:** Not applicable.**· vPvB:** Not applicable.**· Other adverse effects** No further relevant information available.

13 Disposal considerations

· Waste treatment methods**· Recommendation:**

Recommended Hierarchy of Controls:

- Minimize waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

· Uncleaned packagings:**· Recommendation:**

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Container remains hazardous when empty. Continue to observe all precautions.

Containers, even those that are "empty," may contain residues that can develop hazardous gases and vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

Do not mix with other waste streams.

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS




Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 7)

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number	UN3262
· DOT, ADR/RID/ADN, IMDG, IATA	
· UN proper shipping name	Corrosive solid, basic, inorganic, n.o.s. (Sodium hydroxide)
· DOT	UN3262 CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE)
· ADR/RID/ADN	
· IMDG, IATA	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE)
· Transport hazard class(es)	
· DOT	
	
· Class	8 Corrosive substances
· Label	8
· ADR/RID/ADN	
	
· Class	8 (C6) Corrosive substances
· Label	8
· IMDG, IATA	
	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, ADR/RID/ADN, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Hazard identification number (Kemler code):	80
· EMS Number:	F-A,S-B
· Segregation groups	(SGG18) Alkalis
· Stowage Category	B
· Segregation Code	SG35 Stow "separated from" SGG1-acids
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR/RID/ADN	
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 8)

· IMDG	
· Limited quantities (LQ)	1 kg
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
· UN "Model Regulation":	UN 3262 CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE), 8, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed as ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS05

· Signal word Danger

· Hazard-determining components of labeling:

Sodium hydroxide

(Contd. on page 10)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 9)

- **Hazard statements**

H314 Causes severe skin burns and eye damage.

- **Precautionary statements**

P260 Do not breathe dust.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Product safety department.

- **Contact:**

- **Date of preparation / last revision** 08/14/2024 / 3

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Corrosion 1A: Skin corrosion/irritation – Category 1A

Eye Damage 1: Serious eye damage/eye irritation – Category 1

- *** Data compared to the previous version altered.**

US