

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/23/2023

Reviewed on 11/23/2023

1 Identification

- **Product identifier**
- **Trade name:**
- **Article number:** 2682
- **Application of the substance / the mixture** Water treatment
- **Uses advised against**
Processes involving extreme heat use advised against.
Any use involving aerosol formation or vapour release in excess of the assigned WEL where workers are exposed without suitable RPE.
Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).
The product is intended exclusively for industrial and professional use.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

- **Information department:** Product safety department.
- **Emergency telephone number:**
CHEMTREC: 800-424-9300 (Domestic North America) OR 703-527-3887 (International, collect calls accepted).

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS07

Skin Irritation 2 H315 Causes skin irritation.
Eye Irritation 2A H319 Causes serious eye irritation.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms** GHS07
- **Signal word** Warning
- **Hazard statements**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
- **Precautionary statements**
P260 Do not breathe dust.
P280 Wear protective gloves / eye protection.
P302+P352 If on skin: Wash with plenty of water.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 2
Fire = 0
Reactivity = 0

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/23/2023

Reviewed on 11/23/2023

(Contd. of page 1)

- **HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = 2
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

3794-83-0	Tetrasodium (1-hydroxyethylidene)bisphosphonate	10 – 25%
71050-62-9	2-Propenoic acid, polymer with sodium phosphinate	10 – 25%
7631-95-0	Sodium molybdate Alternative CAS number: 10102-40-6	2.5 – 10%
1310-73-2	Sodium hydroxide	1 – < 2%

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately rinse with water.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Check for and remove any contact lenses.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
- **Information for doctor:** Treat symptomatically and supportively.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:**
Do not inhale explosion gases or combustion gases.
Wear self-contained respiratory protective device.
Wear fully protective suit.

(Contd. on page 3)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/23/2023

Reviewed on 11/23/2023

(Contd. of page 2)

- **Additional information** Cool endangered receptacles with water spray.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

- Ensure adequate ventilation
- Avoid formation of dust.
- Wear protective equipment. Keep unprotected persons away.

- **Environmental precautions:**

- Do not allow to penetrate the ground/soil.
- Do not allow product to reach sewage system or any water course in the undiluted form.
- Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

- Pick up mechanically.
- Send for recovery or disposal in suitable receptacles.
- Ensure adequate ventilation.

- **Reference to other sections**

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

- **Protective Action Criteria for Chemicals**

- **PAC-1:**

7631-95-0	Sodium molybdate	3.2 mg/m ³
1310-73-2	Sodium hydroxide	0.5 mg/m ³

- **PAC-2:**

7631-95-0	Sodium molybdate	17 mg/m ³
1310-73-2	Sodium hydroxide	5 mg/m ³

- **PAC-3:**

7631-95-0	Sodium molybdate	100 mg/m ³
1310-73-2	Sodium hydroxide	50 mg/m ³

7 Handling and storage

- **Handling:**

- **Precautions for safe handling**

- Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.
- Safety showers and eye wash facilities should be available at the work area.
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of dust.

- **Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

- Do not store in aluminium, copper, zinc containers.
- Prevent any seepage into the ground.

- **Information about storage in one common storage facility:**

- Store away from oxidizing agents.
- Store away from foodstuffs.

- **Further information about storage conditions:**

- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.

- **Storage class:** 11

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/23/2023

Reviewed on 11/23/2023

(Contd. of page 3)

- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

7631-95-0 Sodium molybdate

PEL Long-term value: 5 mg/m³
as Mo

TLV Long-term value: 0.5 mg/m³
as Mo; A3; respirable fraction

1310-73-2 Sodium hydroxide

PEL Long-term value: 2 mg/m³

REL Ceiling limit value: 2 mg/m³

TLV Ceiling limit value: 2 mg/m³

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

Select PPE appropriate for the operations taking place taking into account the product properties.

- **General protective and hygienic measures:**

Do not eat, drink, smoke or sniff while working.

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

- **Breathing equipment:**

Use suitable respiratory protective device in case of insufficient ventilation.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

- **Protection of hands:**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/23/2023

Reviewed on 11/23/2023

(Contd. of page 4)

· **Body protection:**



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Solid
· Color:	White
· Odor:	Mild
· Odor threshold:	Not determined.

· **pH-value at 20 °C (68 °F):** 7.5 – 8.5 (1%)

· **Change in condition**

· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	Undetermined.

· **Flash point:** >93 °C (>199.4 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Ignition temperature:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

· Lower:	Not determined.
· Upper:	Not determined.

· **Vapor pressure:** Not determined.

· **Density:** Not determined.

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

· **Water:** Soluble.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· Dynamic:	Not determined.
· Kinematic:	Not determined.

· **Other information**

NOTE: The physical data presented above are typical values and should not be construed as a specification.

10 Stability and reactivity

· **Reactivity** No further relevant information available.

· **Chemical stability**

· **Thermal decomposition / conditions to be avoided:**

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

· **Possibility of hazardous reactions** No dangerous reactions known.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/23/2023

Reviewed on 11/23/2023

(Contd. of page 5)

- **Conditions to avoid** Heat and static discharge.
- **Incompatible materials:** Strong acids and oxidising agents
- **Hazardous decomposition products:**
Nitrogen oxides (NO_x)
Carbon monoxide and carbon dioxide
Phosphorus compounds

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	> 2,215.3 mg/kg
Dermal	LD50	> 40,000 mg/kg (rat)
Inhalative	LC50/4 h	> 78.4 mg/l (rat)

3794-83-0 Tetrasodium (1-hydroxyethylidene)bisphosphonate

Oral	LD50	2,850 mg/kg (rat)
Dermal	LD50	> 5,000 mg/kg (rabbit)

7631-95-0 Sodium molybdate

Oral	LD50	> 2,000 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rat)
Inhalative	LC50/4 h	> 3.92 mg/l (rat)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:**
No sensitizing effects known.
Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
ROUTES OF EXPOSURE: Can be absorbed into the body by inhalation and by ingestion.
A nuisance-causing concentration of airborne particles can be reached quickly when dispersed, especially if powdered.
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **Specific target organ toxicity - single exposure**
Based on available data, the classification criteria are not met.
- **Specific target organ toxicity - repeated exposure**
Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

US

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/23/2023

Reviewed on 11/23/2023

(Contd. of page 6)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** The organic portion of the product is biodegradable.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** Product is not expected to bioaccumulate.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
 - Water hazard class 2 (Self-assessment): hazardous for water
 - Do not allow product to reach ground water, water course or sewage system.
 - Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
 - Recommended Hierarchy of Controls:
 - Minimize waste;
 - Reuse if not contaminated;
 - Recycle, if possible; or
 - Safe disposal (if all else fails).

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Contact waste processors for recycling information.
- **Uncleaned packagings:**
- **Recommendation:**
 - Disposal must be made according to official regulations.
 - Containers, even those that are "empty," may contain residues that can develop hazardous gases and vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| <ul style="list-style-type: none"> · UN-Number · DOT, ADR/RID/ADN, ADN, IMDG, IATA Void | |
| <ul style="list-style-type: none"> · UN proper shipping name · DOT, ADR/RID/ADN, ADN, IMDG, IATA Void | |
| <ul style="list-style-type: none"> · Transport hazard class(es) · DOT, ADR/RID/ADN, ADN, IMDG, IATA · Class Void | |
| <ul style="list-style-type: none"> · Packing group · DOT, ADR/RID/ADN, IMDG, IATA Void | |
| <ul style="list-style-type: none"> · Environmental hazards: | Not applicable. |
| <ul style="list-style-type: none"> · Special precautions for user | Not applicable. |
| <ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| <ul style="list-style-type: none"> · Transport/Additional information: | Not dangerous according to the above specifications. |

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/23/2023

Reviewed on 11/23/2023

(Contd. of page 7)

· UN "Model Regulation":	Void
--------------------------	------

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredient is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenicity categories**

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms** GHS07

· **Signal word** Warning

· **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· **Precautionary statements**

P260 Do not breathe dust.

P280 Wear protective gloves / eye protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

-US

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/23/2023

Reviewed on 11/23/2023

(Contd. of page 8)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Product safety department.

· **Contact:**

· **Date of preparation / last revision** 11/23/2023

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

· *** Data compared to the previous version altered.**

Issue 1.

US