Printing date 05/22/2023 Reviewed on 05/22/2023

1 Identification

· Product identifier

· Trade name: <u>BLPN-C</u> · Article number: 2157

· Application of the substance / the mixture Water treatment

· Uses advised against

Processes involving extreme heat use advised against.

Processes involving the use of incompatible substances - refer to section 10.

Processes where workers who may be pregnant or breastfeeding could potentially come into direct contact with the undiluted product.

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Any use involving aerosol formation or vapour release in excess of the assigned WEL where workers are exposed without suitable RPE.

The product is intended exclusively for industrial and professional use.

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:
- · Information department: Product safety department.
- · Emergency telephone number:

CHEMTREC: 800-424-9300 (Domestic North America) OR 703-527-3887 (International, collect calls accepted).

2 Hazard(s) identification

· Classification of the substance or mixture



GHS03 Flame over circle

Oxidizing Solids 3 H272 May intensify fire; oxidizer.



GHS06 Skull and crossbones

Acute Toxicity - Oral 3 H301 Toxic if swallowed.



GHS08 Health hazard

Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child.



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS03, GHS05, GHS06, GHS08
- · Signal word Danger

(Contd. on page 2)

Reviewed on 05/22/2023 Printing date 05/22/2023

Trade name: BLPN-C

(Contd. of page 1)

· Hazard-determining components of labeling:

Sodium nitrite

2-Propenoic acid, polymer with sodium phosphinate

Cyclohexylamine

Sodium hydroxide

· Hazard statements

May intensify fire; oxidizer.

Toxic if swallowed.

Causes severe skin burns and eye damage.

Suspected of damaging fertility or the unborn child.

· Precautionary statements

Take any precaution to avoid mixing with combustibles.

Do not eat, drink or smoke when using this product.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3

Fire = 1

Reactivity = 0

The substance possesses oxidizing properties.

HMIS-ratings (scale 0 - 4)



3 Health = 3

1 Fire = 1

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
7632-00-0	Sodium nitrite	50-100%		
71050-62-9	2-Propenoic acid, polymer with sodium phosphinate	5-10%		
1310-73-2	Sodium hydroxide	5-10%		
	2-diethylaminoethanol	1%		
108-91-8	Cyclohexylamine	1%		

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

Printing date 05/22/2023 Reviewed on 05/22/2023

Trade name: BLPN-C

(Contd. of page 2)

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

· Information for doctor:

Nitrites may cause effects on the blood, resulting in formation of methaemoglobin when ingested. The effects may be delayed. Medical observation is indicated.

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Danger Danger of pulmonary edema.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Water
- · For safety reasons unsuitable extinguishing agents:

Foam

Carbon dioxide

ABC powder

· Special hazards arising from the substance or mixture

Strong oxidiser. Contact with combustible or flammable substances may cause fire.

Not combustible but enhances combustion of other substances.

Many reactions may cause fire or explosion.

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Pick up mechanically.

Do not use combustible materials such as paper towels to clean up spills.

Send for recovery or disposal in suitable receptacles.

Ensure adequate ventilation.

(Contd. on page 4)

Printing date 05/22/2023 Reviewed on 05/22/2023

Trade name: BLPN-C

· Reference to other sections

(Contd. of page 3)

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

Action Criteria for Chemicais	
Sodium nitrite	6.4 mg/m ³
Sodium hydroxide	0.5 mg/m ³
2-diethylaminoethanol	6 ppm
Cyclohexylamine	1.8 ppm
Sodium nitrite	71 mg/m ³
Sodium hydroxide	5 mg/m ³
2-diethylaminoethanol	83 ppm
Cyclohexylamine	8.6 ppm
Sodium nitrite	240 mg/m³
Sodium hydroxide	50 mg/m ³
2-diethylaminoethanol	500 ppm
Cyclohexylamine	30 ppm
	Sodium nitrite Sodium hydroxide 2-diethylaminoethanol Cyclohexylamine Sodium nitrite Sodium hydroxide 2-diethylaminoethanol Cyclohexylamine Sodium nitrite Sodium nitrite Sodium nitrite Cyclohexylamine

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Safety showers and eye wash facilities should be available at the work area.

Prevent formation of dust.

The product must only be handled by authorised, trained and experienced professionals under strictly controlled conditions.

Rinse contaminated clothing with plenty of water (Fire hazard)

Information about protection against explosions and fires:

Potentially explosive when mixed with organic substances.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Prevent any seepage into the ground.

Do not store on combustible materials such as wooden floors or wooden pallets.

Do not store in aluminium, galvanised or copper containers.

- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 5.1 B
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

Printing date 05/22/2023 Reviewed on 05/22/2023

Trade name: BLPN-C

(Contd. of page 4)

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

1310-	1310-73-2 Sodium hydroxide					
PEL	Long-term value: 2 mg/m³					
REL	Ceiling limit value: 2 mg/m ³					
TLV	Ceiling limit value: 2 mg/m³					
100-3	100-37-8 2-diethylaminoethanol					
PEL	Long-term value: 50 mg/m³, 10 ppm Skin					
REL	Long-term value: 50 mg/m³, 10 ppm Skin					
TLV	Long-term value: 2 ppm Skin					
108-91-8 Cyclohexylamine						
REL	Long-term value: 40 mg/m³, 10 ppm					
TLV	Long-term value: 10 ppm					
	A4					
· Addi	tional Occupational Exposure Limit Values for possible hazards during processing:					
1310-	73-2 Sodium hydroxide					
PEL	Long-term value: 2 mg/m³					
REL	Ceiling limit value: 2 mg/m³					

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:

TLV Ceiling limit value: 2 mg/m³

Select PPE appropriate for the operations taking place taking into account the product properties.

· General protective and hygienic measures:

Do not breathe dust

Do not eat, drink, smoke or sniff while working.

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Pregnant women should strictly avoid inhalation or skin contact.

A safe system of work must be formulated and followed to ensure that workers who may be pregnant or breastfeeding do not come into direct contact with the product.

Ensure that eyewash stations and safety showers are close to the workstation location.

Contaminated clothes are a fire hazard. Rinse with plenty of water.

· Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

· Protection of hands:



Protective gloves conforming to EN374.

(Contd. on page 6)

Printing date 05/22/2023 Reviewed on 05/22/2023

Trade name: BLPN-C

(Contd. of page 5)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles conforming to EN166.

· Body protection:



Impervious protective clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

Information on basic physical and of General Information	chemical properties
Appearance:	
Form:	Solid
Color:	Whitish
Odor:	Mild
Odor threshold:	Not determined.
pH-value at 20 °C (68 °F):	11.4 (4%)
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	>93 °C (>199.4 °F)
Flammability (solid, gaseous):	Not determined.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density at 20 °C (68 °F):	1.9 g/cm³ (15.8555 lbs/gal)
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Soluble.

(Contd. on page 7)

Printing date 05/22/2023 Reviewed on 05/22/2023

Trade name: BLPN-C

(Contd. of page 6)

Partition coefficient (n-octanol/water): Not determined.

Viscosity:
Dynamic:
Not applicable.
Kinematic:
Not applicable.

Not applicable.

Noter information
NOTE: The physical data presented above are typical values and should not be construed as a specification.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

May explode on heating.

Reacts with acids releasing nitrogen oxides (NOx).

Reacts violently with combustible and reducing materials, causing fire and explosion hazard.

- · Conditions to avoid No further relevant information available.
- · Incompatible materials:

Combustible materials.

Strong oxidising agents.

Strong acids.

Reducing agents.

· Hazardous decomposition products:

Phosphorus compounds

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:						
ATE (Acute Toxicity Estimate)							
Oral	LD50	298 mg/kg					
Dermal	LD50	49,043 mg/kg					
Inhalative	LC50/4 h	460 mg/l (rat)					

7632-00-0 Sodium nitrite

Oral LD50 180 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Corrosive

Irritant

(Contd. on page 8)

Printing date 05/22/2023 Reviewed on 05/22/2023

Trade name: BLPN-C

(Contd. of page 7)

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

ROUTES OF EXPOSURE: The component substances can variously be absorbed into the body by inhalation, through the skin and by ingestion.

Contains sodium nitrite.

May cause nausea, headache, dizziness, weakness and shortness of breath. In severe cases methaemoglobinaemia and a lowering of blood pressure may occur and could prove fatal.

Symptoms may include a greyish-blue discoloration of the skin and mucous membranes, rapid shallow breathing, lowered blood pressure and increased heart rate. Exposure may result in death. The effects may be delayed. Medical observation is indicated.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability The organic portion of the product is biodegradable.
- · Behavior in environmental systems:
- · Bioaccumulative potential Product is not expected to bioaccumulate.
- · Mobility in soil No further relevant information available.
- **Ecotoxical effects:**
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Very toxic for aquatic organisms

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Recommended Hierarchy of Controls:

- Minimize waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

(Contd. on page 9)

Printing date 05/22/2023 Reviewed on 05/22/2023

Trade name: BLPN-C

(Contd. of page 8)

- · Uncleaned packagings:
- · Recommendation:

· Class

Container remains hazardous when empty. Continue to observe all precautions.

Containers, even those that are "empty," may contain residues that can develop hazardous gases and vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

Do not mix with other waste streams.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

(SODIUM HYDROXIDE, SODIUM NITRITE ENVIRONMENTALLY HAZARDOUS CORROSIVE SOLID, OXIDIZING, N.O.S. (SODIUM POLLUTANT), MARIN POLLUTANT
UN3084 CORROSIVE SOLID, OXIDIZING, N.O. (SODIUM HYDROXIDE, SODIUM NITRITE ENVIRONMENTALLY HAZARDOUS CORROSIVE SOLID, OXIDIZING, N.O.S. (SODIU HYDROXIDE, SODIUM NITRITE), MARIN POLLUTANT CORROSIVE SOLID, OXIDIZING, N.O.S. (SODIU
CORROSIVE SOLID, OXIDIZING, N.O.S. (SODIU HYDROXIDE, SODIUM NITRITE), MARIN POLLUTANT CORROSIVE SOLID, OXIDIZING, N.O.S. (SODIU
CORROSIVE SOLID, OXIDIZING, N.O.S. (SODIU
8 Corrosive substances
8, 5.1
8 Corrosive substances 8+5.1
8 Corrosive substances 8/5.1

8 Corrosive substances

Printing date 05/22/2023 Reviewed on 05/22/2023

Trade name: BLPN-C

	(Contd. of page
· Label	8 (5.1)
· Packing group · DOT, ADR, IMDG, IATA	П
· Environmental hazards:	Product contains environmentally hazardous substances
· Marine pollutant:	Sodium nitrite Yes (DOT) Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
Special precautions for user Hazard identification number (Kemler code): EMS Number:	Warning: Corrosive substances 85 F-A,S-Q
· Segregation groups · Stowage Category	(SGG18) Alkalis, (SGG12) nitrites and their mixtures E
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Remarks:	Special marking with the symbol (fish and tree).
· ADR · Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· UN ''Model Regulation'':	UN 3084 CORROSIVE SOLID, OXIDIZING, N.O. (SODIUM HYDROXIDE, SODIUM NITRITE), 8 (5.1), ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- ·Sara

· Section 355 (extremely hazardous substances):	

108-91-8 Cyclohexylamine

· Section 313 (Specific toxic chemical listings):

7632-00-0 Sodium nitrite

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 11)

Printing date 05/22/2023 Reviewed on 05/22/2023

Trade name: BLPN-C

(Contd. of page 10)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

108-91-8 Cyclohexylamine

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS03, GHS05, GHS06, GHS08
- · Signal word Danger

· Hazard-determining components of labeling:

Sodium nitrite

2-Propenoic acid, polymer with sodium phosphinate

Cyclohexylamine

Sodium hydroxide

· Hazard statements

May intensify fire; oxidizer.

Toxic if swallowed.

Causes severe skin burns and eye damage.

Suspected of damaging fertility or the unborn child.

$\cdot \ Precautionary \ statements$

Take any precaution to avoid mixing with combustibles.

Do not eat, drink or smoke when using this product.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Contact

· Date of preparation / last revision 05/22/2023

· Abbreviations and acronvms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 12)

Printing date 05/22/2023 Reviewed on 05/22/2023

Trade name: BLPN-C

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Oxidizing Solids 3: Oxidizing solids – Category 3 Acute Toxicity - Oral 3: Acute toxicity – Category 3 Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1 Toxic to Reproduction 2: Reproductive toxicity – Category 2 (Contd. of page 11)

LIS